

Aminess[®] N Bibliography

Goldman, Richard, S. Improving Serum Albumin Levels in Hemodialysis Patients by a continuous Quality Improvement Project. *Advances in Renal Replacement Therapy* 8:2. pp: 114-119. 2001

Bronich, L., Tite, T., Shetye, K., Stewart, T., Eustace, J.A. Successful Treatment of Hypoalbuminemic Hemodialysis Patients With a Modified Regimen of Oral Essential Amino Acids. *Journal of Renal Nutrition* 11:4, pp: 194-201. 2001

Chauveau, P., Fouque, D., Combe, C., Laville, M., Canaud, B., Azar, R., Cano, N., Aparicio, M., Leverve, X., French Study Group for Nutrition in Dialysis. Acidosis and Nutritional Status in Hemodialyzed Patients. *Seminars in Dialysis* 13(4):241-246, 2000

Brady, J.P. and Hasbargen, J.A. A Review of the Effects of Correction of Acidosis on Nutrition in Dialysis Patients. *Seminars in Dialysis* 13(4):252-255, 2000

Löfberg, E., Essen, P., McNurlan, M., Wernerman, J., Garlick, P., Anderstam, B., Bergström, J., and Alvestrand, A. Effect of hemodialysis on protein synthesis. *Clinical Nephrology* 54: 4. pp: 284-294, 2000

Lim, V.S. and Kopple, J.D. Protein Metabolism in Patients with Chronic Renal Failure: Role of Uremia and Dialysis. *Kidney International* 58:1-10, 2000

Mujais, S.K. Protein permeability in dialysis. *Nephrology Dialysis Transplantation* 15: Suppl 1, pp: 10-14. 2000

Rao, M., Sharma, M., Juneja, R., Jacob, S., Jacob, C.K. Calculated Nitrogen Balance in Hemodialysis Patients: Influence of Protein Intake. *Kidney International* 58:336-345, 2000

Eustace, J.A., Coresh, J., Kutchev, C., Te, P.L., Gimenez, L.F., Scheel Jr., P.J., Walser, M. Randomized Double-blind Trial of Oral Essential Amino

Acids for Dialysis-associated Hypoalbuminemia. *Kidney International* 57:2527-2538, 2000

Herselman, M., Moosa, M.R., Kotze, T.J., Kritzinger, M., Wuister, S., Mostert, D. Protein-energy Malnutrition as a Risk Factor for Increased Morbidity in Long-term Hemodialysis Patients. *Journal of Renal Nutrition* 10(1):7-15, 2000

Huber, K. Grocery List for People on Hemodialysis! (Food Your Patients CAN Eat). *Journal of Renal Nutrition* 10(1):52-56, 2000

Stenvinkel, P., Heimbürger, O., Lindholm, B., Kaysen, G.A., Bergström, J. Are There Two Types of Malnutrition in Chronic Renal Failure? Evidence for Relationships Between Malnutrition, Inflammation and Atherosclerosis (MIA Syndrome). *Nephrology, Dialysis & Transplantation* 15:953-960, 2000

Riedel, E., Nündel, M., Wendel, G., Hampl, H. Amino Acid and α -keto Acid Metabolism Depends on Oxygen Availability in Chronic Hemodialysis Patients. *Clinical Nephrology* 53(Suppl. 1):S56-S60, 2000

Walser, Mackenzie and Hill, Sylvia. Can Renal Replacement Be Deferred by a Supplemented Very Low Protein Diet? *Journal of the American Society of Nephrology* 10. pp: 110-116. 1999

Qureshi, A.R., Alvestrand, A., Danielsson, A., Divino-Filho, J.C., Gutierrez, A., Lindholm, B., Bergström, J. Factors Predicting Malnutrition in Hemodialysis Patients: A Cross-sectional Study. *Kidney International* 53:773-782, 1998

Lim, V.S., Yarasheski, K.E. and Flanigan, M.J. The Effect of Uraemia, Acidosis, and Dialysis Treatment on Protein Metabolism: A Longitudinal Leucine Kinetic Study. *Nephrology, Dialysis & Transplantation* 13:1723-1730, 1998

Ikizler, T.A., Flakoll, P.J., Parker, R.A., Hakim, R.M. Amino Acid and Albumin Losses During Hemodialysis. *Kidney International* 46:830-837, 1994